


TECHNICAL SPECIFICATION SHEET

Flo X Monitor Arm

PRODUCT CODE: FLX/018/010

oc Rev 2 04.11.22 K



KEY FEATURES

- Designed to mount larger format / heavier displays (up to 18kg) including curved screens
- o Innovative dual spring technology offers unparalleled smoothness of movement
- Spring system can be configured to suit lower weight range (down to 3kg) if required
- Next generation D-ring tilt offers adjustment to mount a range of screen formats, including curved screens
- Portrait-to-landscape screen adjustment
- Weight gauge reduces installation time for multiple installations
- Integrated cable management system

Load support range: 3kg to 18kg

(For monitors below 9kg arm should be configured to single-spring mode) *

Horizontal reach: 612mm max

Vertical reach: 537mm max (to centre of VESA mount)

Vertical motion range: 328mm dynamic motion


Tilt range: 30° upwards, 10° downwards


VESA compatibility: VESA 100 & VESA 75


Recycled content: 55%
Total product recyclable: 100%




Maximum Reach Dimensions











Height Adjustment Range



VESA Mount Tilt Range



LOGISTICAL

Box contains Monitor arm & VESA plate (incl. mount screws), Allen keys,

instructions

Product net weight: 3.35kg

Box dims 170mm x 121mm x 797mm

Box gross weight 3.8kg
Master carton quantity 4

Master carton dims 355mm x 251mm x 807mm

Master carton weight 16kg
Country of origin Italy

Note: Some logistical data is estimated and may be subject to future confirmation.

ORDERING INFORMATION

Product Description	Product Code	<u>Colour</u>
Flo X Monitor Arm	FLX/018/010/S	Silver
Flo X Monitor Arm	FLX/018/010/B	Black
Flo X Monitor Arm	FLX/018/010/W	White

WARRANTY

Warranty Term 12 years

COMPLIANCE & SAFETY CERTIFICATION

Whilst no mandatory standards apply to the monitor arm product sector, all Colebrook Bosson Saunders monitor arms have been designed with appropriate articulation features, dimensional range and adjustability to conform to the requirements of BS EN ISO 9241:5 1999 Ergonomic requirements for office work with visual display terminals (VDTs).




ENVIRONMENTAL

Material Make-up Overall Product		Total Recycled Content	Breakdown of Recycled Content		Total Recyclable Overall Product		
		Overall Product					
Material type		Percentage of Total Product Weight (%)	Material-Type Recycled Content (%)	Percentage PIR of total weight (%)	Percentage PCR of total weight (%)	Total Product Recyclable (g)	Total Product Recyclable (%)
	+	_ ,		. ,			
Aluminium	1764.0	52.9%	50.3%	26.7%	23.6%	1764.0	52.9%
Steel	1201.0	36.0%	4.7%	0.8%	3.9%	1201.0	36.0%
Plastic	367.0	11.0%	0.0%	0.0%	0.0%	367.0	11.0%
Total	3332.0	100.0%	55.0%	27.5%	27.5%	3332.0	100.0%

Due to calculation rounding there may be some small variations in displayed percentage totals.

PIR = Post Industrial Recycled PCR = Post Consumer Recycled





CLEANING, STORAGE & MAINTENANCE

Routine servicing Periodic inspection **Service components** Available to order

Cleaning & Maintenance Damp cloth, no abrasives, no solvents to be used on the cosmetic

surfaces

Handling & Storage Do not drop or expose to moisture

While every effort is made to ensure the accuracy of our technical information, Colebrook Bosson Saunders (Products) Ltd accept no liability for the accuracy of the information contained in this document and reserve the right to modify the specifications or data contained herein without prior notification.

